

# Certificate of Conformity

This is to Certify **INSULMAX® Retrofit Wall Insulation Method**

## Product Description

The INSULMAX® Retrofit Wall Insulation Method is a controlled design method for creating plans and specifications for a building consent to install INSULMAX® in the walls of existing buildings. INSULMAX® insulation is a soft, white blown mineral insulation material that achieves an R value of 2.5 – 2.8/100mm.

The controlled design method includes a prescribed method for evaluating, reporting and specifying maintenance work to be undertaken, on the existing building in respect of Building Act 2004: s112.

For clarity certification covers the controlled design method and the Insulmax® insulation building material.

## Complies with the Building Code of New Zealand:

When installed in accordance with the conditions of this certificate, the INSULMAX® insulation will comply with;

B1 Structure - B1.3.1, B1.3.2, B1.3.3 (a),

B2 Durability - B2.3.1 (a)

F2 Hazardous Building Materials - F2.3.1

The building work will comply with;

E2 External Moisture - E2.3.2

When installed in accordance with the conditions of this certificate, the INSULMAX® insulation will contribute to compliance with;

C3 Fire affecting areas beyond the fire source - C3.7 (a)

H1 Energy Efficiency - H1.3.1 (a, b), H1.3.2E

## Subject to the following conditions and limitations:

1. All aspects of the INSULMAX® Retrofit Wall Insulation method must be carried out or supervised by a person certified by Insulmax NZ Ltd.
2. The INSULMAX® License Holder must provide a signed declaration (to be provided to the BCA as part of the building consent application), that all conditions of the CodeMark certificate have been met.
3. The INSULMAX® existing building assessment report must be signed by a person who has been certified by INSULMAX NZ Limited (to be provided to the BCA as part of the building consent application).
4. Insulmax N.Z Ltd will notifyASUREQuality Ltd in accordance with Regulation 15 of the Building (Product Certification) Regulations 2008



**CODEMARK™**

## Product Use and Scope

This certificate covers the retrofitting of INSULMAX® wall insulation in all existing buildings subject to the completion of the Insulmax Existing Building Assessment.

## Certificate Holder

Insulmax N.Z Ltd  
43 Tunnel Beach Rd.  
Blackhead  
RD1  
Dunedin 9076  
Ph: 03 487 8606  
[www.insulmax.co.nz](http://www.insulmax.co.nz)



**JAS-ANZ**



[www.jas-anz.org/register](http://www.jas-anz.org/register)

**CodeMark Certification Body**

ASUREQuality, 11 Hull Road,  
Mt Maunganui  
New Zealand  
Tel. 0508 00 11 22  
[www.asurequality.com](http://www.asurequality.com)

John McKay, Chief Executive Officer, ASUREQuality Limited

**Date of Issue** 27 May 2016

**Certificate Number** AQ-060516-CMNZ